

**INVITATION TO BID  
CITY OF SEDRO-WOOLLEY  
MCGARIGLE CIPP SEWER PROJECT**

Sealed bid proposals will be received by the City of Sedro-Woolley, at Sedro-Woolley City Hall, 720 Murdock Street, Sedro-Woolley, Washington, 98264, (360) 855-1661, until 11:00 a.m. on Wednesday, March 12, 2008, and will then and there be opened and publicly read for improvements of approximately 8,200 lineal feet of 12-inch and 15" cured in place pipe (CIPP) sanitary sewer on McGarigle Road and State property, Sedro-Woolley, Washington. This work shall consist of rehabilitating deteriorated pipelines by the installation of a resin-impregnated tube which is cured using a heat source under hydrostatic pressure within the tube. This process, which is known as Cured-In-Place Pipe (CIPP), will be seamless, jointless, tight fitting and continuous from manhole to manhole. All existing side services shall be rehabilitated with a resin liner and shall have a cleanout installed one foot within the right-of-way. Additional work in this contract requires the cleaning and application of spray liner for each existing sanitary sewer manhole within the project limits. The following documents form a part of this specification to the extent stated herein and shall be the latest editions thereof. In case of conflicting requirements between this specification and these referenced documents, this specification will govern.

WSDOT Standard Specifications for Road, Bridge, and Municipal Construction, 2006  
ASTM F1216 (Rehabilitation of Pipelines by the Inversion and Curing of a Resin-impregnated Tube)  
ASTM F1743 (Rehabilitation of Pipelines by Pulled-in-place Installation of a Cured-in-Place Thermosetting Resin Pipe)  
ASTM D5813 (Standard specification for Cured-in Place Thermosetting Resin Pipe)  
ASTM D790 (Test methods for flexural properties of non-reinforced plastics)  
ASTM D2990 (Tensile, Compressive, and Flexural Creep and Creep-Rupture of Plastics)

All work shall be performed in accordance with the Contract Plans, Special Provisions, the Standard Specifications and Standard Plans. All materials, equipment, labor, and other miscellaneous items required to complete the work, shall be furnished by the contractor.

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check, or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into such contract and furnish satisfactory performance bond and payment bond both in an amount of 100 percent (100%) of the contract price within the time stated in the specifications, the bid proposal deposit shall be forfeited to the City of Sedro-Woolley. All bidders and subcontractors shall have a contractor's license to work in the State of Washington and a *City of Sedro-Woolley Business License*.

Maps, plans, and specifications may be obtained from the Sedro-Woolley City Hall upon payment in the amount of **\$35.00** for specifications and plan sets. If requesting that plans and specification be express shipped, add **\$16.00** to payment. Plans and Specifications will be available on **February 20, 2008, after 1:00 p.m. at Reichhardt & Ebe Engineering, Inc. 813 Metcalf Street, Sedro-Woolley, Washington, 98284**. Informational copies of maps, plans and specifications are on file for inspection at Reichhardt & Ebe Engineering, Inc and at Sedro-Woolley City Hall, 720 Murdock Street, Sedro-Woolley, Washington 98284.